



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/043,782	01/09/2002	Michael Schurr	01835 / LH	1254
1933	7590	10/20/2003	EXAMINER	
FRISHAUF, HOLTZ, GOODMAN & CHICK, PC 767 THIRD AVENUE 25TH FLOOR NEW YORK, NY 10017-2023			GIBSON, RANDY W	
			ART UNIT	PAPER NUMBER
			2841	

DATE MAILED: 10/20/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/043,782

Applicant(s)

SCHURR, MICHAEL

Examiner

Randy W. Gibson

Art Unit

2841

*BW*

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-9 is/are allowed.
- 6) ☒ Claim(s) 10-12 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 January 2002 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Drawings*

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "diametrically opposed pairs of the four strain gages" which are arranged on the load cells with the first having an "upward orientation" and the second having a "downward orientation", must be shown or the feature(s) canceled from the claim(s). Currently, Figures 6 & 7 show only one strain gage 120; there is no indication of how or where gages 5 & 6 are located on the load cell or how they are physically located in space relative to the other strain gages which are "diametrically opposed". No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

### ***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 10-12 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the

Art Unit: 2841

time the application was filed, had possession of the claimed invention. The terms "diametrically opposed" and "opposite directions" in claim 10 have never been clearly defined in the written description. In claim 11, it is unclear what is meant by "upward orientation" and "downward orientation" since these terms have never been defined in the specification (e.g. : does "downward orientation" mean placed on the bottom of the load cell shown in Figure 6? If so, bottom of which of the three branches of the load cell?). Also, claim 11 seems to contradict claim 10 in the sense that claim 10 seems to recite four load cells which each have only one strain gage which claim 11 seems to recite two different pairs of strain gages. Since the strain gages are never physically located in space, it is impossible to interpret what applicant is trying to claim.

### ***Allowable Subject Matter***

3. Claims 1-9 are allowable over the art of record. With respect to claim 1, the closest prior art, U.S. patent # 5,183,125 to Schurr shows (Figure 3) a load cell shaped similar to the one claimed in the present application, but it clearly uses at least two strain gages (20,21) which are placed on the load cell (10) on a side opposite the side of the load cell which contains the step cut (26) which makes the "joint", or "pivot point", 42 offset from "joint", or "pivot point", 43; applicant's claim 1 recites a load cell with a "single" strain gage which is located on the same side of the load cell as the step cut since the single strain gage is recited as being "disposed on the block in the vicinity of one of the offset joints" [emphases added], not on the opposite side as show in Figures 2-4 of Schurr.


Art Unit: 2841

**Conclusion**

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randy W. Gibson whose telephone number is (703) 308-1765. The examiner can normally be reached on Mon-Fri., 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David S Martin can be reached on (703) 308-3121. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-5115.

  
Randy W. Gibson  
Primary Examiner  
Art Unit 2841